

दूरभाष :  
TELEPHONE :  
तार : बार्क-मुंबई, चेम्बूर.  
TELEGRAMS : BARC-MUMBAI, CHEMBUR.  
फेक्स संख्या : ९१-२२-२५५० ५१५१  
FAX NUMBER : 81-22-2550 5151



सत्यमेव जयते

भारत सरकार  
GOVERNMENT OF INDIA  
भाभा परमाणु अनुसंधान केन्द्र  
BHABHA ATOMIC RESEARCH CENTRE

टॉम्बे,  
मुंबई-४०० ०८५,  
TROMBAY,  
MUMBAI-400 085

URANIUM EXTRACTION DIVISION

Sub: Supply ,installation and commissioning of lighting system in USTF,UED, BARC.

Tender No.: BARC/UED/KM/ 17086

Due Date: 21/08/2017 at 11:30 Hrs.

Sealed Quotations are invited on behalf of Head, UED for above mentioned subject.

Hard copy of Tender Enquiry will be given to the Vendor/Contractor by hand on all working days from 14:00 hrs to 16:00 hrs till the due date and time mentioned above after briefing the scope of job under the Tender.


Vendor/Contractor coming for briefing and getting hard copy of Tender Enquiry should take prior appointment with Mrs. Kalpana Mitra, SO/F, HPS and UED on 25595679 / 25596019 on all working days from 11:00 hrs to 17:00 hrs

Following criteria is required for acceptance of Tender Enquiry by the Vendor/Contractor:

- Vendor/Contractor should have pre-cleared Security Vetting of his company/Firm as per BARC Security rules.
- All workers/labors of the Vendor's/Contractor's Company/Firm should have valid PVC (for minimum 04 persons) not expiring during the tender period (i.e., from the date of issue of this enquiry till completion of job after getting work order).
- Vendor/Contractor coming for discussion and getting tender enquiry should have valid pass of BARC. No TEP will be made by BARC.
- All workers/labors of the Vendor/Contractor for execution of job in this tender should have proper PPE and arrangement for all above shall be made by Vendor/Contractor.
- Vendor/Contractor and his work force should have experience of working in BARC premises related to above mentioned jobs.

BARC keeps the right for rejecting the vendor coming for collecting hard copy of Tender Enquiry if his/her company profile is not found satisfactory and as per our terms mentioned above.

Regards,

  
Kalpana Mitra,  
SO/F,  
HPS, UED