

TELEPHONE: 25505050/00/10/25563120
FAX NO.: +9122 25505151/25519613

TROMBAY
MUMBAI- 400085



GOVERNMENT OF INDIA
BHABHA ATOMIC RESEARCH CENTRE
URANIUM EXTRACTION DIVISION

25.09.2017

Tender No.: BARC/UED/SSK/17127
Due Date: 10.10.2017

Subject: Fabrication, Erection, Testing & Guarantee for various SS304 and MS job's as per our requirement at RUMP/UE.

Dear Sir,

Quotations are invited in sealed envelope for and on the behalf of The President of India acting through Head, UED for Fabrication, Erection, Testing & Guarantee for various SS304 and MS job's as per our requirement at RUMP/UE. Please note that quotations shall be submitted on printed letter heads and must bear PAN No. / GSTN NO. etc. Quotations not complying with them are liable to be rejected.

Vendor/ contractor coming for briefing and getting hard copy of tender enquiry should take prior appointment with Mr. S.S.Kulkarni(SAVE) On 25594858 on all working days between 13.00 hrs to 15.00 hrs.

Following criteria is required for acceptance of Tender Enquiry by the vendor/ contractor.

- Vendor/Contractor should have pre-cleared Security Vetting of his company/firm as per BARC Security rules.
- All workers/labors of the Vendor's/Contractor's Company/Firm should have valid PVC (for minimum 04 persons) not expiring during the tender period. (i.e. from the date of issue of this enquiry till completion of job after getting work order.)
- Vendor/Contractor coming for discussion and getting tender enquiry should have valid pass of BARC. No TEP will be made by BARC.
- All worker/labors of the Vendor/Contractor for execution of job in this tender should have proper PPE and arrangement for all above shall be by Vendor/Contractor.
- Vendor/Contractor and his work force should have experience of working in BARC premises related to above mentioned jobs.

BARC keeps the right for rejecting the vendor coming for collecting hard copy of Tender Enquiry if his/her company profile is not found satisfactory and as per our terms mentioned above.


S.S.Kulkarni, (SAVE)