



GOVERNMENT OF INDIA
BHABHA ATOMIC RESEARCH CENTER
URANIUM EXTRACTION DIVISION

**Sub.: Preparation of 2D and 3D Auto CAD Drawing as per requirements of
UED, South Site, BARC**

(BARC Website Display)

Tender No.: BARC/UED/SM/17146

Due Date: 25-10-2017

Sealed Quotations are invited on behalf of Head, UED for above mentioned subject.

Hard copy of Tender Enquiry will be given to the Vendor/Contractor by hand on all working days from 14:00 hrs to 16:00 hrs till the due date and time mentioned above after briefing the scope of job under the Tender.

Vendor/Contractor coming for briefing and getting hard copy of Tender Enquiry should take prior appointment with Dr. S. Manna, SO/F, UED on 25594547 / 25594550 on all working days from 11:00 hrs to 17:00 hrs

Following criteria is required for acceptance of Tender Enquiry by the Vendor/Contractor:

- i) Vendor/Contractor should have pre-cleared Security Vetting of his company/Firm as per BARC Security rules.
- ii) All workers/labors of the Vendor's/Contractor's Company/Firm should have valid PVC (for minimum 04 persons) not expiring during the tender period (i.e., from the date of issue of this enquiry till completion of job after getting work order).
- iii) Vendor/Contractor coming for discussion and getting tender enquiry should have valid pass of BARC. No TEP will be made by BARC.
- iv) All workers/labors of the Vendor/Contractor for execution of job in this tender should have proper PPE and arrangement for all above shall be made by Vendor/Contractor.
- v) Workers/labors given by the vendor should be well experienced in Typing, Drawing, Printing and Auto Cadd (2D & 3D) Works.
- vi) Vendor/Contractor and his work force should have experience of working in BARC premises related to above mentioned jobs
- vii) Vendor/Contractor should submit copies of Medical Fitness Certificate of his workers/labors given by him for execution of the job in this tender.
- viii) Medical Insurance Policy of the workers/labors is necessary for execution of the job.

BARC keeps the right for rejecting the vendor coming for collecting hard copy of Tender Enquiry if his/her company profile is not found satisfactory and as per our terms mentioned above.

Regards,

Satpati
11/10/17
Dr. S. Manna
डा. एस. के. सो/फ, UED
अध्यक्ष, जल संसाधन अनुभाग / Head, Hydroprocessing Section
युरेनियम निष्कर्षण प्रभाग / Uranium Extraction Division
भारत सरकार / Government of India
भामा परमाणु अनुसंधान केंद्र / Bhabha Atomic Research Centre
ट्रम्बे, मुंबई - 400 085. / Trombay, Mumbai - 400 085.