



Dr. Archana Sharma
Head, PPSS, APPD
arsharma@barc.gov.in



Government of India
Bhabha Atomic Research Centre
Accelerator and Pulse Power Division

Engg. Hall No.4, Trombay,
Mumbai-400085
Tele: (+9122)25590171

Ref.: BARC/APPD/VKS/2017/292

Date: 06/11/2017

Subject: Inviting quotations for fabrications of High voltage feed through.

You are requested to quote for the fabrication of following items as per detailed given in annexure I.

S. no.	Item	Quantity
1.	10kV feed through as per annexure I	12
2.	50kV connectors as per annexure I	5

1) Supplier has to test the feed through at rated voltage before the delivery. For any clarifications the supplier can contact Sh. Vishnu Sharma, SO/E, APPD on any working day (Monday to Friday) on telephone Nos. 25592644 or email: vishnu@barc.gov.in.

2) Payment for the above work will be made after satisfactory completion of job and on production of bill & advanced stamped receipt along with the copy of registration. No advance payment will be made for this work since ours is a Government organization. Only 5.4% CST will be paid by BARC & no Octroi will be paid. Income-tax @2% & surcharge on Income-tax @15% will be deducted from the bill and a TDS (tax deducted at source) certificate will be issued as per Income-tax rules. Suppliers should submit their offers along with the following information.

(a) period of validity, terms & conditions of the offer, (b) Approximate period of completion of the task and (c) copy of the registration and income-tax clearance certificate.

Additional Information:

Your sealed quotation (in your letter head) including all details, like taxes to be paid, transport charges etc., duly indicating our reference number mentioned above, due date & time of opening of quotations on the envelop, may be sent to "**Head, PPSS, APPD, Engg. Hall No.4, Trombay, MUMBAI-400085**", **on or before, 20th November 2017**. It is requested that the tender must be sent by Speed-post. The quotations received after the due date & by FAX/email will not be considered.


Yours faithfully,

(Dr. Archana Sharma)
Head, PPSS, APPD

Copy to: A.P.O., GSS Section, Central Complex, BARC.

Annexure I

10kV Feed Through



50kV Feed Through:

50KV Feed Through

