दुरमार :

TELEPHONE: 25594885, 25594789

तार : बार्क-मुंबई, घेम्बर

TELEGRAMS: BARC-MUMBAI, CHEMBUR.

फेक्स संख्या : ९१-२२-२५५० ५१५१ FAX NUMBER: 91-22-2550 5151



ट्रॉम्बे, मुंबई-४०० ०८५. TROMBAY, MUMBAI-400 085

पारत सरकार GOVERNMENT OF INDIA

भाभा परमाणु अनुसंशान केन्द्र BHABHA ATOMIC RESEARCH CENTRE Uranium Extraction Division

Ref No: UED/PI.13/18/225430

Date: 27th November, 2018

NOTICE INVITING TENDER

Tender Enquiry No.: BARC/UED/PHT/18141

Dear Sir,

Sub: Supply, fabrication and installation of impeller and motor and other accessories for repair of an AHU blower in UMP of UED, BARC, Trombay.

Sealed quotations are being invited for & on behalf of President of India for the subject mentioned work, from the contractors having adequate capability, staff with Police Verification Certificate (PVC) and experience to execute similar works in BARC or other high-security areas.

Description	1	Supply, fabrication and installation of impeller and motor and other accessories for repair of an AHU blower in UMP of UED, BARC, Trombay, as per the full tender to be issued personally after ascertaining the credentials of the bidder
Collection of tender by eligible parties	•	29 th November, 2018 onwards between 10:00 hrs to 16:00 hrs (Monday to Friday).
Period of completion	:	20 days after issuance of valid work order
Last date of submission of quotation	:	12 th December, 2018

Note:

- 1. The tenderer may contact the undersigned on telephone No. 022-25594885 or visit him in his office for appraising the techno-commercial background (of the tenderer).
- 2. Offers of only those firms would be considered valid who received the signed tenderenquiry from the department on confirmation of the firm's techno-commercial eligibility.
- 3. The quotation shall come in sealed cover in the format and mode of postage exactly as given in the tender enquiry.

(P.H. Thyagaraju)